

or per Fax to +49(0)911-98833-7999  
 E-Mail: kundenbetreuung@afag.de

for forwarding  
 to our approved ServicePartner \*

**Deadline**  
**28.11.2022**

# Electricity supply

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Person responsible: \_\_\_\_\_

Tel: \_\_\_\_\_ / \_\_\_\_\_

Fax: \_\_\_\_\_ / \_\_\_\_\_

E-Mail: \_\_\_\_\_

Hall:	Stand:
-------	--------

## Order

VAT ID number of exhibitor:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Payment of the services ordered is due immediately on receipt of the invoice, which will be issued before the start of the event! The connection will only be activated after all invoices have been paid in full.**

- 1. Main supply** EUR
- NOTE:** All CEE sockets in hall 3C from item 1.4-1.7 will be provided with only one 24 hour continuous current safety socket.
- 1.1 (Art. 1010010) up to 3 kW (230 V / 16 A), including safety socket, earth-leakage circuit-breaker. **N.B.:** not bookable in Hall 3C 139.00
  - 1.2 (Art. 1010020) up to 3 kW (230 V / 16 A), including 3-way safety socket, earth-leakage circuit-breaker, in hall 3C including 4-way safety socket, earth-leakage circuit breaker, of which 1 x 24 hour continuous current 158.00
  - 1.3 (Art. 1010030) up to 2 x 3 kW (2 x 230 V / 16 A), including 2 safety sockets, 2 earth-leakage circuit-breakers, in hall 3C including 5 safety sockets, 2 earth-leakage circuit-breakers, of which 1 x 24 hour continuous current 208.00
  - 1.4 (Art. 1020020) up to 9 kW (230 V / 400 V), including 1 CEE coupler 16 A and distribution panel type 1 if required  yes  no 349.00  
 expected load rating in kW \_\_\_\_\_
  - 1.5 (Art. 1020040) up to 20 kW (230 V / 400 V), including 1 CEE coupler 32 A and distribution panel type 2 if required  yes  no 512.00  
 expected load rating in kW \_\_\_\_\_
  - 1.6 (Art. 1020060) up to 40 kW (230 V / 400 V), including 1 CEE coupler 63 A, 1 safety socket, fuses and earth-leakage circuit-breaker 805.00  
 expected load rating in kW \_\_\_\_\_
  - 1.7 (Art. 1020090) up to 83 kW (230 V / 400 V), including 1 CEE coupler 125 A, metering necessary in separate sub-distributor 1,870.00  
 expected load rating in kW \_\_\_\_\_
  - 1.8 (Art. 1020110) up to 130 kW (230 V / 400 V), with unterminated cable ends, metering necessary in separate sub-distributor 3,080.00  
 expected load rating in kW \_\_\_\_\_
  - 1.9 (Art. 1030120) connections rated above 130 kW and outdoor connections charged according to outlay on request

- 2. Distribution panel from main supply** EUR  
**incl. installation, dismantling and rental fee** (from Item 1.4)
- 2.1 (Art. 1120010) distribution panel type 1 (1 pc. included in Item 1.4 if required) up to 9 kW with 2 earth-leakage circuit-breakers and 4 safety sockets, 1 CEE socket 16 A, 5-poles 141.00
  - 2.2 (Art. 1120020) distribution panel type 2 (1 pc. included in Item 1.5 if required) up to 20 kW with earth-leakage circuit-breaker and trip fuses, 6 safety sockets and 2 CEE sockets 16 A, 5-poles, with 3-pole 16 A trip fuses 212.00
  - 2.3 (Art. 1120030) distribution panel type 3 up to 40 kW with trip fuses, 14 safety sockets and 2 CEE sockets 16 A, 5-poles 242.00
  - 2.4 (Art. 1120040) distribution panel type 4 up to 40 kW with 4 trip fuses and 4 CEE sockets 32 A, 5-poles 243.00
  - 2.5 (Art. 1120050) distribution panel type 5 up to 83 kW with trip fuses, 2 CEE sockets 63 A and 6 CEE sockets 32 A 324.00
  - 2.6 (Art. 1120060) distribution panel rated above 83 kW on request
  - 2.7 (Art. 43090000) hourly rate for fitter including all surcharges 47.90
  - 2.8 (Art. 2010026) hourly rate for master craftsman/technician including all surcharges 71.90

\* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

- 3. Lighting**
- Price including delivery, installation (connection / installation in existing systems – see also order form for Suspension from hall roof Form C), initial operation, instructions, dismantling and collection**  
 For safety reasons, lighting systems must only be installed on suitable stand components or components provided for this purpose.  
 Please draw the exact position of lighting either onto the sketch for electricity or suspension points.
- 3.1 ARRI fresnel spotlights** EUR/piece  
 with softly defined light output, rotating barn doors for light control
- 3.1.1 (Art. 11600001) 650 W, 3000 Kelvin (3.1 kg) 77.90 \_\_\_\_\_ piece
  - 3.1.2 (Art. 11600002) 1000 W, 3000 Kelvin (6.0 kg) 84.90 \_\_\_\_\_ piece
- 3.2 PAR spotlights**  
**(Item 2.1 suitable for mounting on stand fascia/wall)**
- 3.2.1 (Art. 11600010) PAR 20, 75 W, 3000 Kelvin (1.1 kg), single installation 59.90 \_\_\_\_\_ piece
  - 3.2.2 (Art. 11600025) LED-PAR AT3 Tri-Color, 18x3 W, RGB (1.5 kg) 103.00 \_\_\_\_\_ piece
- 3.3 Multi-lens spotlights**  
 Light power of a conventional spotlight with low power consumption
- 3.3.1 (Art. 11600030) ML56, CDM-T, 190 W (7 kg) 84.90 \_\_\_\_\_ piece
  - 3.3.2 (Art. 11600031) ML64, GKV, 600 W (3.5 kg) 84.90 \_\_\_\_\_ piece
- 3.4 Area floodlights (halogen / HQI lamps)**  
**(Item 2.1 suitable for mounting on stand fascia/wall)**
- 3.4.1 (Art. 11600040) wide-angle halogen lamp HQI, 150 W, 4200 Kelvin (4.5 kg) 83.90 \_\_\_\_\_ piece
  - 3.4.2 (Art. 11600041) wide-angle halogen lamp HQI, 150 W, 4200 Kelvin (4.5 kg) / from 5 pieces 60.90 \_\_\_\_\_ piece
  - 3.4.3 (Art. 11600043) wide-angle halogen lamp HQI, 400 W, 4200 Kelvin (13.2 kg) 131.00 \_\_\_\_\_ piece
  - 3.4.4 (Art. 11600076) Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), in a rail, including bulb each 67.90 \_\_\_\_\_ piece
  - 3.4.5 (Art. 11600077) Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), from 5 pieces in a rail, including bulb each 55.90 \_\_\_\_\_ piece
  - 3.4.6 (Art. 11600079) Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), with arm (-500 mm), including bulb 48.90 \_\_\_\_\_ piece
- 3.5 LED flood lights**  
**(Not suitable for mounting on stand fascia/wall)**
- 5.1 (Art. 11600101) Expolite TourLED 42CM WP, 42 W, RGB (4.8 kg) 81.90 \_\_\_\_\_ piece
  - 5.2 (Art. 11600102) RUSH PAR 2 RGBW Zoom 120 W, RGBW (5.5 kg) 103.00 \_\_\_\_\_ piece
  - 5.3 (Art. 11600103) SGM P-2 LED, 275 W, RGBW (6.1 kg) 108.00 \_\_\_\_\_ piece
  - 5.4 (Art. 11600104) SGM P-5 TW LED floodlight, 400W, RGBW, (8.9 kg) 125.00 \_\_\_\_\_ piece
  - 5.5 (Art. 11600105) SGM Q-7 LED floodlight, cool white, 65000 lumens (8.1 kg) 142.00 \_\_\_\_\_ piece
  - 5.6 (Art. 11600106) SGM Q-7 Color LED floodlight, 465W RGBW (8.1 kg) 123.00 \_\_\_\_\_ piece

Place and date

Company stamp and authorized signature

# Electricity supply

Order (continued)

## 4. Electricity fee

4.1 **GENERAL INFORMATION: Only Green Energy is offered**

4.2 **Flat-rate charge for electricity fee for green electricity**

	EUR/day
4.2.1 (Art. 10100110) for main supply up to 3 kW (Item 1.1 – 1.2)	9.20
4.2.2 (Art. 10100120) for main supply up to 6 kW (Item 1.3)	18.40
4.2.3 (Art. 10100130) for main supply up to 9 kW (Item 1.4)	38.20
4.2.4 (Art. 10100140) for main supply up to 20 kW (Item 1.5)	73.60
4.2.5 (Art. 10100150) for main supply up to 40 kW (Item 1.6)	133.00
4.2.6 (Art. 10100160) for main supply above 40 kW (Item 1.7 – 1.9) a fixed daily fee of	302.00

The final amount based on the actual metered consumption (4.2.6) will be invoiced after the end of the event (kWh x EUR 0.60/kWh). Any overpayment/underpayment will be refunded/charged as applicable.

**All prices in EURO plus VAT at the statutory rate.**

**Please submit a plan of the stand overleaf showing the position of the required connection points.**

We use a raised floor with a height of \_\_\_\_\_ mm  yes  no

Electrical grounding of stand is required (metal stand):  yes  no

by SPIE SAG GmbH, see item 5.15

by our own electricians or our stand construction company

**Installations from service duct to connection point are only possible via the hall floor. Please enter sketch of stand showing required connection points in form 1A.**

## 5. Stand installation / rental of material EUR

**Installation, dismantling and rental fee from main supply**

<input type="checkbox"/> 5.1 (Art. 1150010) cable Cat 6 with RJ45 plug at each end	piece ..... @ 84.90
<input type="checkbox"/> 5.2 (Art. 1050020) safety socket 230 V / 16 A, in various lengths	piece ..... @ 39.90
<input type="checkbox"/> 5.3 (Art. 1050030) safety socket 230 V / 16 A, 3-way, in various lengths	piece ..... @ 46.90
<input type="checkbox"/> 5.4 (Art. 1050040) CEE socket up to 400 V / 16 A, 5-pole, in various lengths	piece ..... @ 57.90
<input type="checkbox"/> 5.5 (Art. 1050050) CEE socket up to 400 V / 32 A, 5-pole, in various lengths	piece ..... @ 68.90
<input type="checkbox"/> 5.6 (Art. 1050060) CEE socket up to 400 V / 63 A, 5-pole, in various lengths	piece ..... @ 80.90
<input type="checkbox"/> 5.7 (Art. 1050070) CEE socket up to 400 V / 125 A, 5-pole, in various lengths	piece ..... @ 136.00
<input type="checkbox"/> 5.8 (Art. 1150080) adapter, input CEE 16 A, 5-pole, output 3 x safety sockets, 3-pole, 230 V	piece ..... @ 16.90
<input type="checkbox"/> 5.9 (Art. 1150090) adapter, input CEE 16 A, 5-pole, 400 V, output CEE 32 A, 5-pole, 400 V	piece ..... @ 23.90
<input type="checkbox"/> 5.10 (Art. 1150100) adapter, input CEE 32 A, 5-pole, 400 V, output CEE 16 A, 5-pole, 400 V, with 16 A fuse	piece ..... @ 49.90
<input type="checkbox"/> 5.11 (Art. 1150110) adapter, input CEE 32 A, 5-pole, 400 V, output CEE 63 A, 5-pole, 400 V	piece ..... @ 54.90
<input type="checkbox"/> 5.12 (Art. 1150120) adapter, input CEE 63 A, 5-pole, 400 V, output CEE 125 A, 5-pole, 400 V	piece ..... @ 99.90
<input type="checkbox"/> 5.13 (Art. 1150130) CEE cross coupler, input CEE 16 A, 5-pole, 400 V, output 3 x CEE 16 A, 5-pole, 400 V	piece ..... @ 33.90
<input type="checkbox"/> 5.14 (Art. 1150140) CEE cross coupler, input CEE 32 A, 5-pole, 400 V, output 3 x CEE 32 A, 5-pole, 400 V	piece ..... @ 46.90
<input type="checkbox"/> 5.15 (Art. 1150150) Electrical grounding / equipotential bonding	piece ..... @ 52.90

**All prices in EURO plus VAT at the statutory rate.**

Orders must be received in a complete and correct form within the deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.

From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved.

**Further information and the Special Conditions for Services of SPIE SAG GmbH for electricity supply can be found on our Internet site at [www.spie-servicepartner.de](http://www.spie-servicepartner.de).**

SPIE SAG GmbH  
Messezentrum  
Service Partner Center  
90471 Nürnberg  
Tel +49 (0) 9 11. 81 88 18-0  
Fax +49 (0) 9 11. 81 88 18-19  
sag-messe@spie.com  
[www.spie-servicepartner.de](http://www.spie-servicepartner.de)

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail ([data@nuernbergmesse.de](mailto:data@nuernbergmesse.de)).

Place and date \_\_\_\_\_

Company stamp and authorized signature \_\_\_\_\_

